



14K Tilt

Standard Features:

Sizes: 7' between the fenders x 19' Total tilt or 16' w/ 4' stationary

Coupler: 2 5/16" 5 position adjustable

Axles: (2) 7K Torsion Electric Braking

GVW: 14K

Tires: Radial ST235/80R/16E

Tie Downs: Stake Pockets, D-rings, belt winches

Lights: Sealed LED w/ rubber mount

Paint: High solids polyurethane

Deck: 2" x 6" Douglas Fir

Jack: 10K Drop Leg

Curb Weight: 4000#

More on Back



1350 S Calapooia Street

Sutherlin, OR, 97479

541-459-6215

Features continued:

- Lifetime structural warranty
- Hydraulic cushion cylinder
- Fender steps
- Heavy duty 11 gauge Jeep style fenders
- Lockable tool box
- Emergency break-away system
- Safety chains
- Spare tire mount
- Front bumper bar



Optional (+\$):





- Power up and down
- Winch and winch mount
- 1/8" Tread plate steel deck
- Wireless remote control
- Spare Tire
- Custom Color (see chart)



1350 S Calapooia Street

Sutherlin, OR, 97479

541-459-6215



	NAME	DATE
DRAWN	DON	Tuesday, August 07, 2012 3:54:35 PM
CHECKED		Tuesday, August 07, 2012 3:54:35 PM

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF GREAT NORTHERN TRAILER WORKS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF GREAT NORTHERN TRAILER WORKS IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:

DIMENSIONS ARE IN INCHES
 TOLERANCES:
 FRACTIONAL ± 1/16



20' 14k Tilt (4' stationary)

SIZE	TARE WEIGHT:	REV
	3700 LBS	